

# DATA SHEET

VITAPOINT SERIES 5000



# **DATA SHEET**

# VITAPOINT SERIES 5000



#### **AIR IS LIFE!**

With the VITAPOINT® air cleaners, harmful substances are almost completely filtered and the air quality is especially strong frequented or polluted rooms significantly increased.

The VITAPOINT® air purifier sucks the polluted air near the floor and cleans it through two filter stages. The hygienically clean air is then passed through a ventilation grille on the top of the plant led back into the room. The separated particles remain in the filters and are disposed of with them.

#### **HIGHLIGHTS**

Most powerful air purifier on the German market

Filters viruses, aerosols, pollen and fine dust up to 99.995% from 0.001 μm

Access to control via App


4.3 inch touch panel

Suitable for food, pharmaceutical and health industries

Room size and air volume adjustment

Monitoring filter saturation and operating hours

Air quality monitoring (CO2 sensor)



#### **APPLICATION AREAS**

Hotel / Gastronomy

Retail / Supermarkets

Hospitals / Nursing Homes /

Doctor's offices

Sports / Fitness

Schools / Daycare centers

Offices / Public authorities

Gas stations / Rest stops

Offices / Meeting rooms


#### **PERFORMANCE**

2.500 m<sup>3</sup>/h

52,5 dB(A) at maximum air capacity

# **FILTER | OPTIONS**





#### **OPTIONS**

Stainless steel construction

Numerous designs

99.995 %

Separation efficiency in accordance with DIN EN 1822

#### **DESIGN**



# MOTIFS







BLUE



WHITE

BRONZE







 $<sup>{}^\</sup>star\!\text{All}$  motifs also possible only for lower cladding, with upper cladding in standard white


# COLOURS

Color films in over 1,800 Pantone colors

2-colored possible

Optional with logo sticker






# **DESIGNS**

Your personalised design with logo



# **DESIGN | DIMENSIONS SERIES 5000**






#### **DESIGN DELIVERY**

- 1. 300 dpi | CMYK color space | Print PDF
- 2. No recess in the display, it is cut out
- 3. No recess in the sensor, it is cut out
- 4. No bleed
- 5. Delivery of the lower and upper foil in one piece

### **DIMENSIONS | CONTROL**



#### **DIMENSIONS**



# **CONTROL**

4.3 inch touch panel

User interface control

VITAPOINT App

Adjustable air output

Low energy consumption

Sensor and display of CO2 concentration

Timer with pause times and adjustable air flow

Multilingual control



#### **VITAPOINT APP**

Convenient control access via app

For smartphones, tablets and PCs

Easy installation

Management of up to 20 VITAPOINT air purifiers

Access for 3 users at the same time

Individual naming of the devices

Synchronous or asynchronous mode

# **TECHNICAL DATA**



DESCRIPTION	VALUE
Max. room size	180 m²
Supply voltage	230 V
Frequency	50 Hz
Current type	1 Ph
Motor power	750 W
Fuse	16 A
Max. operating point ventilator	5,000 m <sup>3</sup> /h
Max. performance in operation	2,500 m³/h
Weight (approx.)	135 kg
Sound pressure highest level	<52,5 dB(A)
Permitted ambient temperature	5 - 40 °C
Permitted humidity	70 %



#### **SOUND LEVEL VITAPOINT®**



VITAPOINT®	5000
Level 1   150 m³/h	26 dB(A)
Level 2   250 m³/h	27 dB(A)
Level 3   450 m³/h	30 dB(A)
Level 4   700 m³/h	34 dB(A)
Level 5   1.000 m³/h	38 dB(A)
Level 6   1.250 m³/h	42 dB(A)
Level 7   1.550 m³/h	45 dB(A)
Level 8   1.900 m³/h	48 dB(A)
Level 9   2.200 m³/h	50.5 dB(A)
Level 10   2.500 m <sup>3</sup> /h	52.5 dB(A)





by ABSAUGWERK

**XTRACTION®** is a brand of ABSAUGWERK GmbH and special Suction solutions that do not primarily serve the industrial sector, but rather cross-sector niche markets in the field of suction technology. In order to restore the air quality in heavily frequented rooms such as reception halls, waiting areas or public places, ABSAUGWERK® has the Vitapoint® air purifier under the XTRACTION® brand developed.

"There are a thousand diseases, but only one health." Carl Ludwig Börne If you have any further questions, your personal contact person will be happy to assist you.

#### **XTRACTION®**

A brand of ABSAUGWERK GMBH Messerschmittstr. 22 D-89231 Neu-Ulm +49 731 141108-11 info@xtraction-germany.de

