



DATA SHEET

VITAPPOINT® SERIES 2000



XTRACTION®

DATA SHEET

VITAPPOINT® SERIES 2000



AIR IS LIFE!

The VITAPPOINT® 2000 filters viruses, bacteria, pollen and other Microparticles down to a size of $0.001\mu\text{m}$ to 99.995%. The Vitapoint® filters almost all harmful substances and reduces the risk of infection, particularly in highly sensitive areas in frequented rooms with insufficient ventilation.

The VITAPPOINT® air purifier extracts the contaminated air near the floor and cleans it through two filter stages. The hygienically clean air is then filtered through a ventilation grille on the top of the unit and led it back into the room. The separated particles remain in the filters and are disposed of with them.

HIGHLIGHTS


Filters 99.995% of viruses, aerosols, pollen and fine dust from $0.001\mu\text{m}$

Monitoring filter saturation and operating hours

Energy-saving motor

Certified HEPA H14 high-performance filter

Quality product - Made in Germany



APPLICATION AREAS


- Offices / Meeting rooms
- Medical practices / Waiting rooms
- Common rooms / Playrooms
- Classrooms / Daycare centers
- Sports rooms / Dressing rooms
- Offices / Public authorities
- Cafes / Restaurants / Hotels
- Retail / Cultural institutions

PERFORMANCE

700 m³/h

25-44 dB(A)

FILTER | OPTIONS



FILTER STAGE 1

Coarse dust filter G4 of 10 µm

FILTER STAGE 2

HEPA H14 Filter of 0,001µm

OPTIONS

Black or white coating


99.995 %

*Separation efficiency in
accordance with DIN EN 1822*

TECHNICAL DATA



DESCRIPTION	VALUE
Max. room size	45 m ²
Supply voltage	230 V
Frequency	50 Hz
Current type	1 Ph
Motor power	80 W
Fuse	16 A
Max. operating point ventilator	2,200 m ³ /h
Max. performance in operation	700 m ³ /h
Weight (approx.)	55 kg
Sound pressure highest level	<44 dB(A)
Permitted ambient temperature	5 - 40 °C
Permitted humidity	70 %



NOTE: Noise level according to the Machinery Directive in the open air at a distance of 1.0 m at a height of 1.6 m. Measurement according to EN-ISO 11201, measured at nominal volume flow without material transport. The technical data are as accurate as possible, minor deviations may occur.



XTRACTION®

by ABSAUGWERK

XTRACTION® is a brand of ABSAUGWERK GmbH and special Suction solutions that do not primarily serve the industrial sector, but rather cross-sector niche markets in the field of suction technology. In order to restore the air quality in heavily frequented rooms such as reception halls, waiting areas or public places, ABSAUGWERK® has the Vitapoint® air purifier under the XTRACTION® brand developed.

**„There are a thousand diseases,
but only one health.“**

Carl Ludwig Börne

If you have any further questions, your personal contact person will be happy to assist you.

XTRACTION®

A brand of ABSAUGWERK GMBH

Messerschmittstr. 22

D-89231 Neu-Ulm

+49 731 141108-11

info@xtraction-germany.com



MADE IN GERMANY